# Delock Serial Cable RS-232 D-Sub9 female to female with narrow plug housing 1 m

## Description

This serial cable by Delock is suitable as an **extension cable or connection cable** for modem, printer, measuring instruments, converters, RS232 hubs, patch panels etc. The cable provides the possibility of connecting adjacent systems and devices.

**Mini D-Sub9 connector**
These cables fit any RS-232 port, as the **mini D-Sub9 connectors** (44 x 33.3 x 15 mm) are small and compact. In this way, RS-232 connections can be used directly adjacent to each other.



1 m

**Item no. 86823**

EAN: 4043619868230

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  1 x serial D-Sub9 female with screws
  1 x serial D-Sub9 female with screws
- Cable gauge: 28 AWG
- Pin assignment: 1:1
- Colour: black
- Insulator: PVC
- Screw type: #4-40 UNC
- Cable diameter: ca. 5 mm
- Cable length incl. connectors: ca. 1 m

## System requirements

- A free D-Sub9 male

## Package content

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

- Cable

## Images





© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## General

| | |
|---|---|
| Specification: | RS-232 (EIA / TIA) |
| Style: | Mini Sub-D9 |

## Interface

| | |
|---|---|
| Connector 1: | 1 x serial D-Sub 9 female with screws |
| Connector 2: | 1 x serial Sub-D 9 female with screws |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | up to 921.6 Kbps |
| Signal transmission: | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND + Shield |

## Physical characteristics

| | |
|---|---|
| Cable type: | AWM Style 2464 28 AWG 80 °C 300 V VW-1 |
| Cable length incl. connector: | 1 m |
| Pin finishing: | gold-plated |
| Conductor material: | Copper tinned |
| Conductor gauge: | 28 AWG |
| Screw type: | #4-40 UNC |
| Colour: | black |
| Cable jacket material: | PVC |
| Safety of Flammability: | VW-1 |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.