# Delock Slot bracket 1 x USB 5 Gbps pin header female 90° angled to 2 x USB 5 Gbps Type-A female 50 cm

## Description

This slot bracket by Delock expands the PC by two USB 5 Gbps Type-A female ports. The cable of the slot bracket can be connected internally to the motherboard with a 19 pin USB 5 Gbps pin header male. Thus, the internal connection will be lead outside, in order to connect devices with USB Type-A connector to the computer.



50 cm

**Item no. 83015**

EAN: 4043619830152

Country of origin: China

Package: Zip poly bag

## Special features

- With inner metal thread

## Specification

- Connectors:
  1 x 19 pin USB 5 Gbps pin header female 90° angled
  2 x USB 5 Gbps Type-A female
- Data transfer rate up to 5 Gbps
- Screw type: #4-40 UNC
- Pitch of screw hole: ca. 48 mm
- Cable gauge:
  28 AWG data line
  24 AWG power line
- Cable diameter: ca. 5.8 mm
- Cable jacket material: PVC
- Colour: black
- Length: ca. 50 cm

© 2023 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## System requirements

- PC with one free slot
- Motherboard with a free 19 pin USB 5 Gbps pin header male

## Package content

- Slot bracket

## Images



© 2023 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## Interface

| | |
|---|---|
| Connector 1: | 1 x 19 pin USB 5 Gbps pin header female 90° angled |
| Connector 2: | 2 x USB 5 Gbps Type-A female |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | up to 5 Gbps |

## Physical characteristics

| | |
|---|---|
| Conductor gauge: | 28 - 24 AWG |
| Material: | PVC |
| Colour: | black |
| Cable diameter: | 5.8 mm |

© 2023 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.