
SIRUI

影像随心 思锐随行

使用说明

绞齿中轴三脚架



广东思锐光学股份有限公司

地址：广东省中山市五桂山第三工业区　　邮编：528458
电话：0760-88897373　传真：0760-88207062　服务热线：400 830 2299
邮箱：info@sirui-photo.com　　网址：www.sirui.com
投诉电话：18165639388
(仅限工作日 8:15~12:15,14:00~18:00)

绞齿中轴三脚架参数

节数	最大管径	最小管径	最小高度	折叠中轴高	最大高度	收纳高度	最大负重	自重	最大负重
4	Ø36	Ø24	390	1535	1785	590	3.3	14	R-4214E

1. 认识产品





图1

2. 三脚架展开入角度调节



这是您打开包装拿出脚架时的收纳状态


手拿起脚架，如图所示将拉钮Ⓐ朝图中箭头所指方向拉动至完全定位后即可

手掰脚架管至拉钮Ⓐ自动复位

拉钮Ⓐ自动复位后，即可以调节所需的角度。脚架分三级角度调节区域(或者直接把脚管往上扳动到所需的使用角度后，向三脚架的方向按一下拉钮Ⓐ的上部，Ⓐ便弹入所需的角度卡位锁定。

图2

3. 三脚架脚管伸缩




将脚管拉至第1级使用角度

手拿脚架正面操作，向左拧动松紧旋钮Ⓑ45度后，脚管就可以自由伸缩，当调节好高度位置后，向反方向拧紧松紧旋钮Ⓑ即可锁紧定位

图3

4. 包胶脚钉与钢钉的互换安装



当需要用到金属钢钉Ⓓ时，只需要旋转包胶脚钉Ⓒ下来即可更换（如下图示方法互换）。

图4

5. 中轴的上下伸缩

5.1 升降中轴前，先将把手从收纳状态回正：转动把手，使把手回正；当回正时，可见限位拉钮自动复位，见图A、图B

5.2 握动把手升降中轴，方向如图C所示（升降中轴前请确认中轴旋钮已松开），升至所需高度时，可锁紧中轴旋钮,将中轴固定





图5


6. 快速转接平台可倒转安装3/8"或1/4"转接螺丝



说明：
快速转接平台Ⓔ顺时针旋转“松”可以拿出螺丝，换向插入转接螺丝后再逆时针旋转“紧”。

图6

7. 脚管松紧微调



当发现支撑脚与本体有过紧或者过松的状态时，可以通过配套的六角扳手Ⓕ将螺丝Ⓖ进行微调至您所需要的稳定度和力度

图7

1、认识产品（图1如所示）
2、三脚架可调三种角度，分别约为22°、55°、85°；将拉钮拉到自动定位后，把脚管抬到约70°，按钮可自动回位锁定角度；脚架可竖直收合（如图2所示）
3、三脚架脚管伸缩：按图示的方向同时或分别将锁紧旋钮转动约1/2圈，然后将脚管拉出您所需要的长度，再按图示方向，分别从大到小的顺序拧紧各个锁紧旋钮；收缩时松开锁紧旋钮应按从小到大的顺序操作（如图3所示）
4、包胶脚钉与钢钉可以互换安装（如图4所示）
5、中轴的上下伸缩（如图5所示）
6、转接平台大小螺丝3/8转1/4（如图6所示）
7、脚管松紧微调（如图7所示）

温馨提醒

1. 在使用脚架拍摄且需要移动位置时，请将相机从三脚架上取下，切勿将相机装在脚架上一起移动，剧烈的晃动（特别是安装了长焦镜头的相机）可能会使转接螺丝断裂，进而损坏相机。
2. 伸展脚管时，请从最大管径的脚管到最小管径的脚管的顺序伸展；收纳脚管时，请从最小管径的脚管到最大管径的脚管的顺序收纳。


注意事项：

- 不要超过最大的制定负重（请参考个别产品说明）；
- 当使用产品时，时常紧锁其安全装置；
- 切勿在温度低于零下40摄氏度及高于100摄氏度使用，当在潮湿、沙地、布满尘埃的环境下使用后，谨记将产品弄干及清洁，不建议在海水中使用；
- 切勿将产品长时间放在太阳下暴晒及避免高温环境，例如长时间放在车厢内或玻璃后；
- 在公众地方使用时，如在没有人照料下，切勿留下设备而引致其他公众不便；
- 建议在运输过程中，将设备（例如相机）从脚架上移除；
- 使用温和清洁剂及柔软毛巾清洁，将尘埃及沙粒从所有锁制及活动部件清除；
- 除非有需要，此设备无需定期添加润滑油，如确实需要时，请使用标准润滑油或油蜡；
- 为自身安全着想，切勿将产品接触任何电源。

SIRUI, Capturing Your Imagination!

INSTRUCTIONS

Tripod with Geared Center Column
R-4214E



GUANGDONG SIRUI OPTICAL CO.,LTD.
Add: The Third Industrial District, Wuguishan Town, Zhongshan City, Guangdong, China (Zip Code: 528458)
Tel: 86-760-88897373 Fax: 86-760-88207062
E-mail: info@sirui-photo.com Website: www.sirui.com

Data Chart

Max Load Weight	14/30.86	kg/lbs
Weight	3.3/7.28	kg/lbs
Retracted Height	590/23.23	mm/inches
Max Height	1782/70.18	mm/inches
Height with Column Inverted	1153/90.43	mm/inches
Min Height	390/15.35	mm/inches
Min. Tube Dia.	Ø24/0.94	mm/inches
Max. Tube Dia.	Ø36/1.42	mm/inches
Sections	4	

1. Know the Tripod





Fig.1

2. Leg Setup



The legs are folded when taking out from the box.


Hold the tripod and pull out the Button A in the direction of the arrow.

Pull up the leg until the Button A automatically gets back in position.

Pull the leg up to 22°/ 55°/ 85° after the Button A went back in position. Or directly pull up the leg to the desired angle, then press the upper part of the Button A to lock the leg in position.

Fig.2

3. Leg Extension/Retraction




Pull up the leg to 22°.

Turn the leg lock to the left for 45° to extend or retract the leg. Turn the leg lock to the right to lock the leg section in place.

Fig.3

4. Interchangeable Rubber Feet & Spikes



Retract the rubber foot to reveal the metal spike.

Fig.4

5. Column Ascent/Descent

5.1 Turn around the crank handle to let it face you, then the limiter will automatically go back in position. (Fig A, Fig B)

5.2 Turn the crank handle clockwise/counterclockwise to adjust the height of the column (make sure the butterfly locking is loosen). Tighten the butterfly locking to fix the column in the desired position.

(a) Turn around the crank handle to let it face you.

(b) The limiter automatically goes back in position to fix the crank handle securely.





Fig.5


6. Convertible 3/8"-16 and 1/4"-20 Screw



3/8"-16 and 1/4"-20 Screw Conversion:
Twist the mounting platform clockwise to take out the screw. Invert the screw and put it back in position. Twist the mounting platform counterclockwise.

Fig.6

7. Leg Tension Adjustment



Twist the screw G with the included Allen key F to adjust the tension of the leg.

Fig.7

1. Know the Tripod (Fig. 1)
2. Three-angle adjustable: 22°/52°/82°. Pull out the leg angle adjustment button and the button will return in position when pulling up the leg approximately to 70°. The legs can be folded down for a compact fit. (Fig. 2)
3. Twist the leg locks (from the smallest to the largest) for a half turn to extend or retract the legs. Lock the leg sections by twisting the leg locks (from the largest to the smallest) in the opposite direction. (as Fig. 3 shown).
4. Interchangeable rubber feet and spikes (Fig. 4)
5. Column Ascent/Descent (Fig. 5)
6. Convertible 3/8"-16 and 1/4"-20 Screw (Fig. 6)
7. Leg tension adjustment (Fig. 7)

NOTES

1. Please remove your camera and lens from the tripod before moving the tripod as the camera and lens will be damaged if the mounting screw breaks due to violent shaking.
2. Please extend the legs from the max-diameter section to the min-diameter section and retract from the min-diameter section to the max-diameter section .

Attention :

Do not exceed the recommended maximum load weight (please refer to the manual).

Please make sure that the locks are securely tightened when in use.For added safety, please put your wrist through the wrist strap when using the monopod.

This product should not be used in environments that exceed the following conditions (-40 ~ +100°C/-40 ~ +212°F). And, when used in damp, dirty or dusty environments, please clean and dry thoroughly after use, to assure proper functioning in the future. It is not recommended to expose this product to saltwater. If exposed, please clean with mild soap and warm water and towel dry.

Please keep from high temperatures and direct exposure to bright sunlight for extended periods of time.

Please do not leave the equipment alone in a public place, which can be an inconvenience or hazard to others.

To protect your camera gear, please remove it from the tripod/ball head when transporting from place to place.

Please use a soft towel with warm water and mild soap to clean the locking system and gliding parts when necessary. Towel dry before storing the monopod.

Under most situations, there is no need to lubricate any parts of this product. The addition of most lubricants will gum up the mechanisms and reduce their normal gliding characteristics. Please call or email us if you have any questions or special needs.

Please keep this product away from all electrical power sources.

SIRUI

Global Distributor Directory

Products Info

Official Website

News and Tutorials

YouTube

Services

Facebook

V1.0 2021.07

Thank you for purchasing SIRUI products! SIRUI will provide free warranty service if the product fails due to poor materials and workmanship under normal use.

The global agents are ranked in no particular order. If after-sales service is required, please contact the local agent first.

Headquarter of SIRUI Optical Co., Ltd.

After-Sale Service Hotline： 400 830 2299

Complaints Hotline：181 6563 9388

Singapore/T K Foto Technic Pte Ltd

Address: Funan 107 North Bridge Rd #03-09 Singapore 179105

Tel: +65 6904 6610 **Fax:**+65 6904 6620

http: //www.tkfoto.com.sg **E-mail:** ark@tkfoto.com.sg

India/Foto centre Trading Pvt. Ltd

Address: Foto Centre Trading Pvt.Ltd* 303, 3rd Floor, Ravi Building, 189-191, Dr. D. N. Road, Mumbai-400 001.Maharashtra,India **Tel:** 0091-9820110120

http: //www.sirui.in **E-mail:** info@sirui.in

Canada/LightPro Group Inc

Address: 3206 Wharton Way Mississauga, ON L4X 2C1

Toll Free: 1-800-361-9682 Tel: 905-940-9262

http: //www.lightprogroup.com **E-mail:** Sales@lightprogroup.com

Kazakhstan/PSP Digital

Address: г. Алматы, проспект Абая 130 (территория ЖК «Abay 130»)

Tel: 8 707 217 03 99 8 707 958 54 94

http: //pspdf.kz/contacts **E-mail:** pspkz@mail.ru

Russia /REQUIRED, LLC

Address:

Tel: 8 (499) 500-96-27

http: //kremlinstore.ru **E-mail:** order@kremlinstore.ru

Romania/West Buy S.R.L

Address: Bdul. Mircea Voda nr. 36, Sector 3, Bucharest, Romania, 030688
Telephone: +(4)021.3205652 Tel/Fax: +(4)021.3205655 Mobile: +(4)0745414956
Mobile: +(4)0752111704 Mobile: +(4)0756111947 Mobile: +(4)0752110439
http: //www.westbuy.ro **E-mail:** westbuy1@gmail.com

Slovenia/Infocona d.o.o

Address: Prevale 9, 1236 Trzin
Tel: 01/ 562 00 61 **http:** // **E-mail:** info@infocona.si

Turkey/siruiturkiye

Address: Çobançesme Mah. Sanayi Cad. Kımız Sk. No:12 Yenibosna Bahçelievler, İstanbul
Tel: 0(850)222 37 73
http: //www.siruiturkiye.com **E-mail:** oceltikci@essegrup.com

Hong Kong/HONG KONG RUIJIE TRADING COMPANY LIMITED

Address: UNIT C 15/F HUA CHIAO COMM CTR 678 NATHAN RD MONGKOK KL
Tel: 00852-9409 5241
http: // **E-mail:** paulli34@foxmail.com

South Africa/Sunshine Distribution PTY LTD

Address: 29 Keyes Avenue, Rosebank Johannesburg, 2196, South Africa
Mobile: +27 79 641 0288 **Phone:** +27 11 268 0803
http: //www.sunshineco.co.za **E-mail:** Willem@sunshineco.co.za

Israel/Argol LTD

Address: 19 Hamerkava st.Holon 5885113 Israel
Tel: +972-3-5581901-6 **Fax:** +972-3-5501148
http: //www.argol.co.il **E-mail:** eli@argol.co.il

Malaysia/Leomax (M) Sdn Bhd

Address: B-5-7, block B, Pusan komersial southgate Jln dua, off jln Chan sow Lin 55200 Kuala Lumpur, Malaysia **Tel:** (+603)9224 2001
http: //www.leomax.com.my **E-mail:** account@leomax.com.my

Panama /TODO FOTO PANAMA

Address: Avenida Justo Arosemena y Cl. 45 Este,Panamá Ciudad de Panamá
Tel: 225-4620 / 203-1288
http: //www.todofotopanama.com **E-mail:** rosa@todofotopanama.com

Nigeria/Nextgen Media Ltd

Address: 73, Allen Avenue, Ikeja, Lagos
M. +234 (0) 805 1987 394 | +234 (0) 909 1094 565
http: //www.nextgentv.tv **E-mail:** Afolasade.OK@nextgentv.tv

Ukraine/BIGggSALE.com

Address: Ровно: ул. Данила Галицького 19, 718 офис. (Главный офис)
Tel: (096)308-36-00;(063)308-36-00;(066)308-36-00
http: //BIGggSALE.com **E-mail:** shop@bigggsale.com

Luxembourg /TSE Imaging BV

Address: Argonweg 135, 1362 AD Almere,
Tel: +31 (0) 36 8450348
http: //www.tseportal.nl **E-mail:** service@tokina.eu

Belgium/TSE Imaging BV

Address: Argonweg 135, 1362 AD Almere,
Tel: +31 (0) 36 8450348
http: //www.tseportal.nl **E-mail:** service@tokina.eu

Italy /TOSCANA FOTO SERVICE S.r.l.

Address: Via Ponte all' Asse, 2/4, 50019 Sesto Fiorentino (FI)
Tel:
http: //www.sirui-italia.it **E-mail:** info@fotocomm.it

Poland/Focus Nordic

Address: Al. Jerozolimskie 180, 02-486 Warszawa
Tel: +48 697 991 248
http: //www.focusnordic.pl **E-mail:** info@focusnordic.pl

Taiwan/Tai Nein Company Ltd.

Address: 2F, No.29, Ren Ai Road, Sec 2, Taipei, Taiwan
Tel: +886-2-33433966 **Fax:**+886-2-33433969
http: //www.lf99.com **E-mail:** tainein@ms23.hinet.net

Thailand/ 456 Marketing Company Ltd

Address: 636/12 Soi Ramkhamhaeng 39 (Thepleela1), Wangthonglang, Bangkok 10310, Thailand. **Tel:** (+662)934-6565
http: //www.456mkt.com **E-mail:** online@456mkt.com

Japan/常盤写真用品株式会社

Address: 〒460-0011 名古屋市中区大須4丁目3番43号
Tel: 052-251-0351 **Fax:** 052-251-0981
http: //www.sirui-japan.com **E-mail:** takahashi@tokiwasyashin.co.jp

New Zealand/Photogear

Address: (1) 3/2 Tawa Drive, Rosedale, Auckland (2) 49 Mackelvie Street, Ponsonby, Auckland
Tel: (+64) 9 4792886
http: //www.photogear.co.nz **E-mail:** support@photogear.co.nz

Slovakia/Focus Nordic AB

Address: KUTA centrum, Zelený pruh 95/97, 140 00 Praha 4, Česká Republika
Tel: +420 604 582 550
http: //www.focusnordic.sk **E-mail:** info@focusnordic.sk

Czech Republic/Focus Nordic

Address: Zeleny pruh 95/97, 140 00 Praha 4
Tel: +46 31 336 23 00
http: //www.focusnordic.cz **E-mail:** info@focusnordic.cz

Netherlands/TSE Imaging BV

Address: Argonweg 135, 1362 AD Almere,
Tel: +31 (0) 36 8450348
http: //www.tseportal.nl **E-mail:** service@tokina.eu

Estonia/Focus Nordic

Address:
Tel: +46 31 336 23 00
http: //www.focusnordic.ee **E-mail:** info@focusnordic.ee

Vietnam (Hanoi)/SÔNG HỒNG CAMERA


Address: SÔNG HỒNG CAMERA - 44 TRÀNG THI, HOÀN KIẾM, HÀ NỘI
Tel: Hotline CH: 098.888.2533 - 024.3938.2267
http: //www.songhongcamera.com **E-mail:** banhang@songhongcamera.com

Vietnam (Ho Chi Minh)/Rawshop.vn

Address: 61 Đường Núi Thành, Phường 13, Tân Bình, Thành phố Hồ Chí Minh, Vietnam
Tel: 00842862656999
http: //rawshop.vn **E-mail:** thanhnam79@gmail.com

Saudi Arabia/Cameramix

Address: Al-Manar, Jeddah 23462 Saudi Arabia
Tel: 00966126282444
http: //cameramix.com **E-mail:** sales@cameramix.com



Republic of Korea/ Daekwang Enterprise

Address: Namdaemunno 10, Jung-gu, Seoul, South Korea (zip: 04528)
Tel: (+82) 2-752-3304
http: //www.sirui.co.kr **E-mail:** daekwangas@gmail.com

Australia/ DISCOUNT DIGITAL PTY LTD

Address: Suite1,64 Alexander St, crows Nest NSW2065, Australia
Tel: (+61)408 660 083
http: //www.pixelone.com.au **E-mail:** sales@pixelone.com.au

Indonesia/ Focus Nusantara

Address: Jln.Tanah Abang II No 77 Jakarta Pusat -10160, Indonesia
Tel: (+62)21 380 8080
http: //focusnusantara.com **E-mail:** saiful@focusnusantara.com

Republic of Lithuania /Focus Nordic

Address: Vienibas Avenue 109, LV-1058 Riga Latvia

Tel: +37 06 12 86 120

http: //www.focusnordic.lt **E-mail:** info@focusnordic.lt

Sweden/Focus Nordic AB

Address: Bergsjödalen 48, 41568 Gothenburg

Tel: +46 31 336 23 00

http: //www.focusnordic.com **E-mail:** info@focusnordic.se

Norway/Focus Nordic

Address: Ringeriksveien 164, 1339 Voyenenga

Tel: +47 67 17 37 00

http: //www.focusnordic.no **E-mail:** info@focusnordic.no

Finland/Focus Nordic

Address: Knitter Business Park, Kutojantie 6-8, FI-02630 Espoo

Tel: +35 89 42 83 41 01

http: //www.focusnordic.fi **E-mail:** info@focusnordic.fi

Denmark/Focus Nordic

Address: Erhvervsvej 30, DK-2610 Rodovre

Tel: +46 31 336 23 00

http: //www.focusnordic.dk **E-mail:** info@focusnordic.dk

Iceland/Focus Nordic

Address:

Tel: +46 31 336 23 00

http: //www.focusnordic.is **E-mail:** info@focusnordic.is

Latvia /Focus Nordic

Address: Vienibas Avenue 109, LV-1058 Riga Latvia

Tel: +46 31 336 23 00

http: //www.focusnordic.lv **E-mail:** info@focusnordic.lv

Sri Lanka/CameraLK Store

Address: CameraLK Colombo: 263, Highlevel Road Colombo 05 00500 - Western
CameraLK Majestic City: No 28, 3rd Floor Majestic City Colombo 04 00400 - Western
CameraLK Kandy: 127A 1/1 D S Senanayake Veediya Kandy 20000 - Central Province
0812233872

Tel: +(94) 117 817 870

http: //www.cameralk.com **E-mail:** ushitha@cameralk.com

Kenya/Cameras Africa

Address: Nairobi along Kenyatta Avenue, next to Phoenix House. 1 Min Walk from Sentrim 680 Hotel

Tel: 00254722764900

http: //www.camerasafrica.com **E-mail:** sales@camerasafrica.com

Garantie
Warranty
Garantía
Garanzia

For EU Market Only

SIRUI Professional Photographic Equipment

Product	Warranty length
Tripods / Monopods / Heads / Accessories	**6 years**
Humidity Control Cabinet (only Cabinet)	**6 years**
Humidity Control Cabinet (Electronics)	**3 years**
Filters / Smartphonetools / Electronic Devices	**2 years**

Produkt	Garantie Zeitraum
Stative / Köpfe / Zubehör	**6 Jahre**
Humidor Schränke (nur Schränke)	**6 Jahre**
Humidor Schränke (elektronisch)	**3 Jahre**
Filter / Smartphonezubehör / Elektronische Geräte	**2 Jahre**

Model, Modell, Modèle, Modelo

Date, Datum, Fecha, Data

Dealer, Händler, Marchand, Comerciante, Negociante

European Service Center:

SIRUI Optical GmbH • Ernst-Augustin-Str. 1a • 12489 Berlin • Germany
Phone: +49 30 991 94 94 00
Email Address : info@siruioptical.eu

Deutsch
Die SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, gewährt Käufern eine Garantie von 6 Jahren ab Kaufdatum auf die Freiheit von Herstellungs- und Materialfehlern dieses Produkts. Von dieser Garantie nicht erfasst sind Schäden durch mechanische Beeinträchtigungen, große Hitze, nicht bestimmungsgemäße Verwendung sowie Abhandenkommen. Diese Garantie gilt nur in Verbindung mit dieser Garantiekarte und einem in Europa ausgestellten Kaufbeleg. Die gesetzlichen Rechte – insbesondere die gesetzlichen Gewährleistungsrechte – bleiben hiervon unberührt. Im Garantiefall wenden Sie sich bitte an das umseitig genannte Servicecenter.

English
SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, guarantees purchasers that this product will remain free from manufacturing and workmanship defects for 6 years from the date of purchase. Damage caused by mechanical damage, excessive heat, improper use and loss are not covered by this warranty. This warranty is valid only in connection with this warranty card and a receipt issued in Europe. Statutory rights – in particular the statutory warranty rights – remain unaffected. In the event of a warranty claim please contact the service centre listed overleaf.

Français
La société SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, Allemagne, offre aux acheteurs une garantie de 6 ans, à compter de la date d'achat, contre tous défauts de fabrication ou de matériaux. Cette garantie ne couvre pas les dommages causés par des problèmes mécaniques, la chaleur excessive, l'utilisation abusive et la perte. La garantie est uniquement valable si associée à la présente carte de garantie et une preuve d'achat délivrée en Europe. Les droits légaux en particulier les droits de garantie prévus par la loi restent inchangés. En cas de recours à la garantie, veuillez vous adresser au centre de service mentionné au recto.

Italiano
La SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, offre agli acquirenti una garanzia di esenzione da difetti di fabbrica e di lavorazione di questo prodotto, della durata 6 anni dalla data di acquisto. Tale garanzia non copre alcun danno causato da guasto meccanico, calore eccessivo, uso improprio nonché perdita. La garanzia è valida solo se accompagnata dalla presente scheda di garanzia e ad una prova di acquisto rilasciata in Europa. I diritti legali - in particolare, i diritti di garanzia previsti dalla legge - rimangono inalterati. In caso di intervento in garanzia, si raccomanda di rivolgersi al centro di assistenza indicato sul retro.

Español
La sociedad SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, otorga a sus compradores una garantía de 6 años a partir de la fecha de compra por los vicios ocultos y defectos de fabricación de este producto. La garantía no cubrirá los daños ocasionados por desgastes mecánicos, altas temperaturas, un uso no conforme con lo prescrito o por pérdida o extravío, y sólo será válida presentando esta carta de garantía y el comprobante de compra expedido en Europa. Lo anterior no afectará a los derechos legales y, en particular, a los derechos de garantía legales. En el caso contemplado en la garantía, le rogamos se ponga en contacto con el Centro de atención al cliente, cuya dirección consta en el dorso de esta carta de garantía.

Portugués
A SIRUI Optical GmbH, Ernst-Augustin-Str. 1a, 12489 Berlin, garante aos seus clientes uma garantia de 6 anos a partir da data de aquisição relativa à liberdade de defeitos de produção e fabrico do produto. Esta garantia não cobre danos causados por efeitos adversos decorrentes de avaria mecânica, calor excessivo, utilização indevida, ou perda. Esta garantia é apenas válida mediante apresentação deste cartão de garantia e um recibo emitido na Europa, sem prejuízo dos direitos legais (em particular, os direitos legais de garantia). Em caso de reclamação, contate o centro de serviço referido no verso.

SIRUI Warranty

Professional Photographic Equipment

For US Market Only

SIRUI USA, LLC

For technical support,service or repairs please,contact:

29 Commerce Court Verona, NJ 07044

info@sirui.com Phone: 866-373-0829

Thank you for your purchase of Sirui professional products! Sirui warrants that your purchase is free from defects in materials and workmanship, under normal use during the Limited Warranty period. The warranty period starts on the original date of purchase on your sales receipt. If service is required, please include a copy of the sales receipt and this warranty card, with an explanation of the problem. Please store your sales receipt and warranty card in a safe location.

Product	Warranty period
Tripods and Heads	6 years
Optical and Smart Products	1 year (Battery: 6 months)
Humidity Control Cabinets	6 year (Electronic components: 3 years)

Model purchased :

Date :

Store :

Serial number :

Sirui USA Limited Warranty

This warranty is limited to the repair, adjustment and/or replacement, at Sirui or its authorized distributor's option, of defective parts, free of charge (except the cost of transportation to the distributor/service center). Responsibility is limited to actual cost of item.

Register online at www.sirui.com. Call or email with questions or problems, before sending product in for repair. For warranty service on product purchased in the USA, all shipping and insurance charges must be prepaid. Include a copy of the sales receipt, this warranty card and an explanation of the problem. The product or defective part(s) may be sent through a local authorized SIRUI USA dealer or directly to the SIRUI USA distributor/service center indicated on this warranty card.

Sirui will not be responsible for expenses or inconveniences, or consequential damages to equipment, or by breach of any expressed or implied warranty.

Out-of-warranty repairs - An estimate (including shipping costs) will be provided by the SIRUI USA distributor/service center indicated on this warranty card and repairs will begin once the estimate is approved and payment is received. A return shipping fee will be charged for refused estimates.

Limitations

Warranty is non-transferable. This warranty covers all defects encountered in normal use of the equipment and does not apply in the following cases:

1) If the equipment has been serviced by other than an authorized Sirui distributor or service center.
2) Damage to the equipment due to modification, overloading, mishandling, abuse, accident, sand, corrosives, water damage or not following operating instructions.
3) No valid proof of purchase is provided.
4) Damage caused by acts of nature (including, but, not limited to fires, floods or earthquakes).

This warranty is only valid when product is purchased from an authorized SIRUI USA dealer.

Please visit SIRUI's USA official website or consult the local dealer for the Return and Exchange Policy.