Delock Fiber Optic Distribution Box for indoor and outdoor IP65 waterproof lockable 2 port white

Description

This lockable distribution box by Delock can be used for wall mounting and serves as a protective housing for optical cables and couplings. The distribution box can accommodate up to two SC Simplex or LC Duplex couplings.

With splice tray
The integrated splice tray enables clean routing of the individual fibers for optimal transmission of lightwave signals.

IP65 dust and waterproof
The distribution box has one cable entry and two cable outlets which are protected by a rubber seal. The seal provides increased protection against dirt and moisture for the connection of fiber optic cables indoor and outdoor.



Specification

- Fiber optic distribution box for FTTH applications
- 2 slots for SC Simplex or LC Duplex couplings
- Wall mounting
- Lockable
- With splice tray
- Cable entry with rubber seal
- Cable diameter: ca. 10 mm
- Suitable for indoor and outdoor use
- Protection class: IP65
- Environmental temperature: -40 °C ~ 75 °C
- Housing colour: white
- Housing material: ABS
- Dimensions (LxWxH): ca. 168 x 102 x 32 mm

Package content

- Fiber optic distribution box
- 1 x key
- Mounting material
- 2 x heat shrink splice protection

Item no. 87899

EAN: 4043619878994

Country of origin: China

Package: Box

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

Images



© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

Technical characteristics	
Storage temperature:	-40 °C ~ 75 °C
Protection class:	IP65
Physical characteristics	
Material:	ABS
Length:	168 mm
Width:	102 mm
Height:	32 mm
Colour:	white
Cable diameter:	10 mm

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.