美眼仪说明书

W60mm X H80mm

材质:105g哑粉纸正反印刷

202000507

欢迎使用inFace

inFace美眼仪由深圳茵菲斯科技有限公司自主研发制造，深圳茵菲斯科技有限公司隶属于深圳市米谷智能有限公司。公司自成立以来，一直以产品的实用性、功能性及安全性为设计核心理念，以打造科技智美的产品为宗旨，努力探索，不断创新。

inFace美眼仪
负离子按摩热敷美眼仪

产品功效

提拉紧致、改善细纹、淡化眼圈
平缓眼袋、营养导入、舒缓疲劳

产品功能

模式一白色LED为震动按摩:舒缓肌肤压力，促进新陈代谢。
模式二橙色LED为震动温热:温热打开毛孔，导入营养精华，促进吸收。
模式三绿色LED为震动离子:负离子导入，营养直达肌底层。


注意事项

使用产品前，请仔细阅读说明书，并妥善保管，以备需要时参考。
1.以下部位禁止使用本仪器:眼球、上眼皮、喉结、伤口、皮肤病患处、暗疮发炎处、皮疹处、发痒红肿处等。
2.孕妇不可使用模式三震动离子功能，其他功能请遵循医嘱，谨慎使用。经期，过敏性皮肤不建议使用本仪器。
3.使用前请先检查探头是否有损坏或变形，避免皮肤受到伤害。
4.佩戴隐形眼镜者请在使用前取下眼镜。
5.使用本仪器前，请清洁需要护理的皮肤，如有化妆请卸妆后使用。

6.使用时脸部要充分湿润，如果皮肤变得干燥，难以移动，请补加护肤品。切勿在干燥的情况下勉强滑动。
7.松弛、黯哑、斑点肌肤需定点按摩，不要用力拉动皮肤。
8.使用本仪器时，不可一直停留在某处皮肤的表面，需缓慢移动。
9.为避免皮肤过敏，使用任何护肤品，应先做一次皮肤测试。
10.本仪器无防水功能，禁止在浴室或者其它湿度较大的场所使用本仪器，或充电，或放置，以免进水造成损坏。
11.若本仪器出现质量问题，请立即停止使用并联系售后服务进行维修（请带上保修卡）。
12.请勿使用酒精清洁本仪器。
13.对热不敏感的人使用时必须注意。

产品明细

打开包装盒，您将看到
1.inFace美眼仪x1
2.DC充电线x1
3.收纳袋x1
4.说明书x1



① 按摩头　② 指示灯　③ 开关按键　④ 离子感应条（使用离子功能需触碰）
⑤ DC充电接口　⑥ DC充电线　⑦ 说明书　⑧ 收纳袋

产品参数

产品名称	inFace美眼仪
规格型号	MS5000
产品尺寸	131.4mm*17mm
产品净重	约46g
工作时间（测试条件为DC3.7V）	模式1震动功能约可持续工作250分钟
	模式2震动+温热功能约可持续工作30 分钟
	模式3震动+离子功能约可持续工作 200分钟
温热模式	39±1°C
电池容量	3.7V/500mAh
充电电流	250mA
充电电压	USB DC5V
充电时间	约2小时
待机电流	<30uA
工作温度	0~40°C
材质成分	铜，铝合金，不锈钢

注:本说明书所示产品图片及相关产品特征介绍，以及一些名词的解释，仅可作为参考，用户使用时以实物为准。有鉴于不断改进产品的一贯方针，本公司保留改变产品规格的权利，恕不另行通知。

操作方法

1.长按1.5秒实现开关机；
2.产品工作过程中双击按键可以实现普通模式和侦测模式；
3.工作模式下短按按键切换三种功能：震动按摩(白色指示灯亮)，温热舒缓(恒温38.5±1.5°C，橙色指示灯亮)，负离子导入（绿色指示灯亮）；
4.产品具备记忆特性，将会储存最后一次使用模式默认为下次开机后模式；
5.侦测模式下需要手指接触离子感应条，然后导头接触皮肤形成回路才能工作；
6.单个功能不操作持续工作180秒后进入关机；



长按开关　三指调节　形成回路

使用方法



充电须知

1.本仪器为USB直插式充电，充电时间约为2小时，各功能使用时间，请详见产品参数。
2.电池低电量时，橙灯为呼吸闪烁状态，充满电后绿灯恒亮，充电过程中仪器不能工作。
3.产品低电量状态时，会发出"嘀嘀嘀"三声警示并关机，表示仪器需要进行充电。
4.本仪器附带的充电线只可用于本产品充电，请勿用于其它设备充电。
5.当充电出现异常，请立即切断电源。
6.本仪器只能使用5V/1A直流电充电。
7.请妥善使用和保管充电线，不要随意对折、拉伸、扭曲、缠绕等。

保存方法

1.若长时间不使用，请将产品擦拭干净，放入收纳袋，并置于干燥通风处保存。
2.本仪器应避免阳光直射，周围无腐蚀性化学品等。
3.请勿让儿童接触本仪器，并放置在儿童不能触及的地方，以免发生意外。
4.请勿将本仪器置于0°C以下、40°C以上环境，以免影响电池寿命及发生意外。

常见问题

使用时若发现问题，请参考下表排查异常，若问题无法解决，请联系售后服务。

现象	解决方法
产品使用3分钟后自动关机	本产品带有3分钟智能定时保护功能，在连续3分钟中无任何操作的情况下，仪器将会自动关机。

开机后使用无震动	产品开机使用无震动，请核实是否存在以下情况: 1. 肌肤水分是否充足，如肌肤干燥情况下操作，仪器无法检测到肌肤水分，会存在无震动情况，请补充肌肤水分后再使用即可。 2.产品LED灯是否显示正常，电量是否充足。 3. 本仪器操作时，需手握离子感应条，同时导头紧贴肌肤才能启动震动操作。
皮肤使用过后发红	有微电流通过肌肤激活细胞，产品使用过后皮肤发红是正常。
无法开机	本仪器长按1.5秒开关机键即可开关机操作，如长按1.5秒后仪器无任何反应，请核实是否存在以下情况: 1. 电量是否充足，请充满电后再重新操作。 2. 充电中，LED灯是否有显示。
使用在肌肤上有刺痛感是为何	在使用时，产品会释放微电流，产品（按摩头）-面部-身体-手部-产品（感应条），这样形成一个回路，能感受到刺痛感的话说明有起到微电流作用，是正常反应。
充电无反应	充电无反应，可按以下步骤排除: 1. 检查并排除是否供电异常。 2. 供电的线和接头是否有破损。 3. 充电LED是否有闪烁提示。

产品中有害物质的名称及含量

部件名称	有害物质					
	铅(Pb)	汞(Hg)	镉(Cd)	六价铬(Cr(VI))	多溴联苯(PBB)	多溴二苯醚(PBDE)
塑胶件	○	○	○	○	○	○
硅胶件	○	○	○	○	○	○
马达	○	○	○	○	○	○
电池	○	○	○	○	○	○
PCBA组件	×	○	○	○	○	○
轻触开关	○	○	○	○	○	○
充电线	○	○	○	○	○	○

本表依据SJ/T 11364的规定编制。
○:表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572 规定的限量要求以下。
×:表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。
其中，铅(Pb)、汞(Hg)、镉(Cd)、六价铬(Cr(VI))均代表金属及其化合物。

此标志标识产品的环保使用期限为10年，在环保使用期限内，产品中含有的有毒有害物质或元素在正常使用下不会发生外泄或突变，用户使用该产品不会对环境造成严重污染或对其人身、财产造成严重损害，产品过了环保使用期要废弃时，必须按国家相关法律法规进行合理处理。

关于保修

1.产品本机自购买之日起保修一年。
2.inFace产品退换政策标准依照"国家新三包规定"。
3.超出保修期的产品，本司提供维修服务，顾客须支付维修人工费和材料成本费。
4.若发现产品存在质量问题，请于购买之日起七天内与售后客服联系。

保修条款限制

1.未按产品使用说明书要求使用、维护、保养造成产品损坏的；
2.本仪器为全金属机身，储存及使用时请尽量避免硬物摩擦、跌落或受到强大外力冲击，以免造成外观损坏，人为损坏造成的功能受损情况，不受 保修条款保护。
3.充电线、收纳袋、包装盒等配件及赠品不享受保修服务；
4.自然灾害等不可抗力造成的损坏；
5.人为因素(例如操作不正确、强力撞击、划伤、拆卸、摔碰、使用不合规格的适配器等)导致的产品故障或损坏。
6.本仪器含精密技术，禁止自行拆解、维修本仪器，自行拆解本仪器或人为损坏而造成不可修复的故障，公司将不负责售后保修条款所述的义务。

inFace

产品名称:　inFace 美眼仪
产品型号:　MS5000
生产日期:
质　　检:

合格证

深圳市米谷智能有限公司

inFace　保修卡

产品单号:
购买日期:
用户姓名:
用户地址:
联系电话:
商品名称:
经销商信息:
订单号:
故障描述:

※ 维修时请详细填写保修卡内容，本产品整机保修一年。

扫描二维码查看多国语言版本电子说明书

售后联系方式
电话:400-007-8388
服务微信号:migoosmart
工作时间:周一至周六 9:00-18:00(节假日休息)
深圳市米谷智能有限公司
地址:　深圳市宝安区西乡街道固戍社区骏翔U8智造产业园U6栋807
邮箱:service@migoosmart.com
邮编:518000

※ 此说明书最终解释权归深圳市米谷智能有限公司所有

inFace 微信公众号　inFace 客服微信号

inFace　美眼仪　使用说明书



因爱而生 • 与美相伴
Born for love Living for Beauty

inFace　Eye Care Instrument　User's Manual



Born for love • Living for Beauty

Welcome to use inFace

inFace eye care instrument is independently developed and manufactured by Shenzhen inFace Technology Co. Ltd., which is affiliated to Shenzhen Migoo Smart Co. Ltd. Since the company was founded, it has been designing the core concepts of practicality, functionality and safety, aiming to create products with technology and intellectual, and striving to explore and innovate.

inFace eye care instrument

Rechargeable, negative ion, vibration and hot compress eye's care.

Function of the product

· Lifting and tightening · Improving fine lines · Diminishing eye circles · Smoothing eye bags · Nutrient introduction · No allergens

Product Features


Mode 1 white LED is vibration massage: relieves skin pressure and promotes metabolism.
Mode 2 red LED is warm and vibration: warm pores, introduce nutrient essence, and promote absorption.
Mode 3 green LED is vibration plus negative ion: negative ions interact, nutrients directly reach the bottom of the muscle.

Precautions

Please read the user manual carefully before using the product and keep it for future reference.
1. Do not change the use method indicated in this manual without authorization.
2. The instrument is prohibited in the following areas: eyeball, upper eyelid, larynx, wound, skin disease, acne inflammation, rash, itchy redness, etc.
3. Pregnant women are not allowed to use the ion function, please follow the doctor's advice for other functions and use with caution.Not to use the instrument during menstrual period and on anaphylaxis skin.
4. If you wear contact lenses, please remove it before use.
5. Before using the instrument, please clean the skin that needs to be treated. If there is makeup, please use it after removing makeup.
6. When using, the face should be fully moisturized. If the skin becomes dry and difficult to slide the instrument, please add skin care products. Do not slide barely under dry conditions.
7. Relax, hoarse, spotted skin needs a fixed massage, do not pull the skin
8. When using this instrument, do not stay at a certain surface of the skin all the time, but need to move gently.
9. When using the instrument for the first time, please observe the skin condition at any time.
10. This instrument is not waterproof. Do not use the instrument in a bathroom or other humid place, or charge it, or place it to avoid damage caused by water ingress.
11. If the instrument makes abnormal noise, stop using it immediately and contact the sale or service point for repair (please bring the warranty card).
12. Do not use alcohol to clean the instrument.
13. Attention must be paid to the use of heat-insensitive people.

Accessories and appearance

Open the box and you will see:
1. inFace eye care instrument x 1
2. DC charging cable x 1
3. Storage bag x 1
4. User's manual x 1



① Massage head　⑤ DC charging interface
② LED indicator　⑥ DC charging cable
③ Switch button　⑦ User's manual
④ Ion sensing strip (touch for the ion function)　⑧ Storage bag


Product pavameters

Product Name	inFace eye care instrument
Specification Model	MS5000
Product dimension	131.4mm*18.1mm*17mm
Product net weight	about 46g
Working time (tested condition is DC3.7V)	Mode 1 vibration function is about 250 minutes of continuous work.
	Mode 2 vibration + warm function for about 30 minutes of continuous work.
	Mode 3 vibration + ion function is about 200 minutes of continuous operation.
Warm mode	39±1°C
Battery capacity	3.7V/500mAh
Charging current	250mA
Charging voltage	USB DC5V
Charging time	about 2 hours
Standby current	<30uA
Working temperature	0~40°C
Material composition	Copper, aluminum alloy, stainless steel


Note: The figures and related product features described in this manual, and some definitions of the terms, can only be used as a reference. Please be subject to the actual products. In view of the consistent policy of continuous improvement of products, the company reserve the rights to change the product specifications without prior notice.

Method of operation

1. Long press 1.5 seconds to switch on and off;
2. The Product under operation, Double-click the button to switch normal mode and detection mode;
3. The Product under operation, short click the button to switch three functions: Mode 1(white LED light), Mode 2 (constant temperature 38.5 ± 1.5 °C, red LED light), Mode 3 (green LED light)
4. The product memorize last operation mode, when switch on will operation with last mode function;
5. In the detection mode, the finger needs to touch the ion conductor stripe, and then the massage head contacts the skin to have conductive loop to work;
6. When not switch any mode for 180 seconds, it will shut down automatically.



Tips for use



Charging instructions

1. This instrument is USB in-line charging, charging time is about 2 hours, for the working time of each function, please refer to the product parameters.
2. When the battery capacity goes low, the orange light is in a state of respiratory flashing. When the battery is fully charged, the green light is always on, and the instrument cannot work during charging.
3. The instrument will make "di di di" sound when the battery is low to remind users.
4. The charging cable supplied with this instrument can only be used for charging this product. Do not use it for charging other devices.
5. When the charging is abnormal, please turn off the power immediately.
6. This instrument can only be charged with 5V/1A DC adaptor.
7. Please use and store the charging cable properly, do not fold, stretch, twist, entangle, etc.

Preservation method

1. If it is not used for a long time, please wipe the product clean, put it into the storage bag and store it in a dry and ventilated place.
2. The instrument should be protected from direct sunlight and no corrosive chemicals around it.
3. Keep out of reach of children.
4. Do not place the instrument below zero or above 40 degrees to avoid affecting battery life and accidents.

Common problem

If you find any problems during use, please refer to the following table to check the abnormality. If the problem cannot be solved, please contact after-sales service.

Phenomenons	Solutions
Automatic shutdown after using for 3 minutes	This product has a 3-minute intelligent timing protection function, and the instrument will automatically shut down without any operation for 3 consecutive minutes.
No vibration when you use	Please check whether the following conditions exist or not: 1. If the skin is dry, the instrument can not detect the moisture of the skin, there will be no function, please replenish the skin before using. 2. Please check whether the battery is fully charged or not, and whether the LED light is normal 3. When the instrument is operating, the ion sensing strip needs to be held by hand, and the guide head is close to the skin to start the vibration operation.
Redness after using the instrument	There is a micro-current that activates cells through the skin. It is normal for the skin to become red after use.
Can not turn on	The instrument can be operated by switching on and off for 1.5 seconds. If there is no response after 1.5 seconds of long press, please check if the following conditions exist: 1. Is the power sufficient? Please re-operate after fully charged. 2. Whether the LED light works during charging.
Why is it tingling on the skin when using the instrument?	When using, the product will release micro-current, and if it feels tingling, it means that it has a micro-current effect and is a normal reaction.
No response when charging	You can follow the steps below to check it: 1. Check and exclude if the power supply is normal. 2. Is the power supply wire and connector damaged? 3. Does the charging LED have a blinking prompt?

About warranty

1. The product is guaranteed for one year from the date of purchase.
2. For products that are out of warranty, the company provides maintenance services, and customers are required to pay maintenance fee and material costs.
3. If you find that the product has quality issues, please contact the after-sales customer service within seven days from the date of purchase.

Warranty restrictions

1. Failure to use or maintain the product in accordance with the product instruction manual.
2. This instrument is made of metal. When storing and using, please try to avoid the friction, drop or strong external impact of the hard object, so as to avoid the appearance damage, the function damage caused by human damage, is not protected by the warranty.
3. Charging cables, storage bags, storage boxes and other accessories and gifts are not included in warranty service.
4. Damage caused by force majeure such as natural disasters.
5. Product failure or damage caused by human factors (such as incorrect operation, strong impact, scratches, disassembly, bumps, use of substandard power supplies, etc.).
6. This instrument contains precision technology and it is forbidden to disassemble and repair the instrument by yourself. The company is not responsible for the irreparable damage caused by the destruction of the instrument or human damage, and the company will not be responsible for the obligations stated in the after-sales warranty.

inFace　WARRANTY CARD

MODEL NO.
PURCHASE DATE
NAME
ADDRESS
TEL
PRODUCT NAME
DISTRIBUTOR
ORDERR NUMBER
DEFECTIVE PHENOMENON

(Fill in the warranty card details when applying for the repairing service.
The warranty period is one year for the whole product.)

inFace

Product Name:　inFace eye care instrument
Product Model:　MS5000
Production Date:
Quality Inspection:

CERTIFICATION

Shenzhen Migoosmart Co., Ltd.

Please Scan the QR code to re-view the User Manual

After sales contact
Phone: 0086-400-007-8388
Service Wechat : migoosmart
Working hours: 9:00-18:00, Monday to Saturday
(China time, Day off in holidays and weekend)
Shenzhen Migoosmart Co., Ltd.
Address: Rm.807, Building U6, Junxiang U8 Intelligent Manufacturing Industrial Park, Gushu Community, Xixiang Sub-District, Bao'an District, Shenzhen, China
Email: service@migoosmart.com
Zip code: 518000

※ The final interpretation of this manual belongs to Shenzhen Migoo Smart Co., Ltd.

inFace Official Account　inFace service account