
Delock M.2 Docking Station for 4 x M.2 NVMe PCIe SSD with Clone function

Description

This M.2 docking station by Delock enables the installation of **four M.2 PCIe NVMe SSDs** and can be connected via USB to the PC or laptop. The included USB cable allows the connection to a free USB-C™ port.

M.2 PCIe SSD clone function 2 x 2
The clone function enables to **copy the content of one SSD to another** without using a PC. Since the docking station has four slots, two M.2 SSDs can be copied at the same time.

USB connection and separate power supply
Due to the USB port and the included USB cable, the docking station can easily be connected to the computer. In addition, the power supply included in the delivery content ensures a supply for the used storage devices.



Specification

- Connectors:
  1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
  4 x 67 pin M.2 key M slot
  1 x DC jack
- Chipset: Asmedia ASM2362, ASM2806
- Supports M.2 modules with key M or key B+M based on PCIe (NVMe)
- Supports NVM Express (NVMe)
- Data transfer rate up to 10 Gbps
- Supports UASP
- Bootable
- LED indicator for power, access and copy status
- Function key:
  2 x switch for mode
  2 x Clone button
- Dimensions (LxWxH): ca. 164 x 125 x 37 mm
- Hot Plug, Plug & Play

Power supply specification

- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.5 A
- Output: 12.0 V / 4.0 A
- Ground outside, plus inside
- Dimensions:
  inside: ø ca. 2.1 mm
  outside: ø ca. 5.5 mm
  length: ca. 10 mm

System requirements

- Android 9.0 or above
- Chrome OS 83.0 or above
- iPad Pro (2018)
- Linux Kernel 5.4 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port or
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port

Package content

- M.2 docking station

Item no. 64124

EAN: 4043619641246

Country of origin: China

Package: Retail Box

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.


- Cable USB-C™ male to USB-C™ male, length ca. 45 cm
- Cable USB-C™ male to USB Type-A male, length ca. 80 cm
- External power supply
- User manual

Images










© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

General	
Function:	bootable
	Clone Function
Supported operating system:	Android 9.0 or above
	Chrome OS 83.0 or above
	Linux Kernel 5.4 or above
	Mac OS 10.15.7 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	iPad Pro (2018)
Interface	
Connector 1:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
Connector 2:	4 x 67 pin M.2 key M slot
connector 3:	1 x DC jack
Technical characteristics	
Chipset:	Asmedia ASM2362
Physical characteristics	
Colour:	black

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.