Delock HDMI zu DVI 24+1 Kabel bidirektional 5 m

Description

This HDMI to DVI cable by Delock supports the data transfer in both directions. Thus it can be used to connect a DVI monitor or projector to the HDMI interface of a PC or laptop or to connect an HDMI monitor or projector to the DVI interface of a PC or laptop.



5 m

Item no. 84344

EAN: 4043619843442

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
  1 x HDMI-A male >
  1 x DVI 24+1 male
- High Speed HDMI specification
- DVI-D (Dual Link)
- DVI connector with screws
- Cable gauge: 28 AWG
- Cable diameter: ca. 7.3 mm
- Copper conductor
- Triple shielded cable
- Contacts gold-plated
- Connectors gold-plated with red metal housing
- Data transfer rate up to 7.92 Gbps
- Resolution up to 1920 x 1080 @ 60 Hz
  (depending on the system and the connected hardware)
- 2 x ferrite core
- Colour: black / red
- Length incl. connectors: ca. 5 m

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

System requirements

- A free HDMI-A interface
- A free DVI interface

Package content

- HDMI to DVI cable

Images



© 2022 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Interface

Connector 1:	1 x HDMI-A male
Connector 2:	1 x DVI 24+1 male

Technical characteristics

Data transfer rate:	7.92 Gb/s
Maximum screen resolution:	1920 x 1080 @ 60 Hz

Physical characteristics

Ferrite core:	2 x
Cable diameter:	7.3 mm
Pin finishing:	gold-plated
Conductor gauge:	28 AWG
Length:	5 m
Colour:	black / red

© 2022 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.