Delock Adapter SMA jack to MCX plug 3 GHz

Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



Item no. 89989

EAN: 4043619899890

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Specification

- Connectors:
  1 x SMA jack >
  1 x MCX plug
- Housing: brass gold plated
- Thread type: 1/4" - 36 UNS - 2A
- Frequency range: 3 GHz
- Impedance: 50 Ohm
- Operating temperature: -10 °C ~ 50 °C
- Dimensions (LxD): ca. 19.92 x 10.00 mm

System requirements

- Device with one free SMA or MCX port

Package content

- Adapter

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Interface

Connector 1:	1 x SMA jack
Connector 2:	1 x MCX plug

Technical characteristics

Frequency range:	3 GHz
Operating temperature:	-10 °C ~ 50 °C

Physical characteristics

Housing material:	brass gold plated
Diameter:	10.0 mm
Length:	19.92 mm
Thread type:	1/4" - 36 UNS - 2A

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.