Delock WLAN 802.11 ac/ax/a Antenna RP-SMA plug 5 dBi 20 cm omnidirectional with tilt joint and flexible material black

Description

This Wireless LAN antenna by Delock can be connected to a WLAN device with RP-SMA interface, in order to send and receive signals.



Specification

- Connectors: 1 x RP-SMA plug
- Frequency range: 5.150 - 5.850 GHz
- Antenna gain: 5 dBi
- Impedance: 50 Ohm
- Polarisation: linear, vertical
- VSWR: 2.2
- Operating temperature: -10 °C ~ 70 °C
- Colour: black
- Length:
  ca. 200 mm (with tilt joint)
  ca. 177 mm (without tilt joint)
- Diameter:
  ca. 12.70 mm (RP-SMA)

System requirements

- Device with a free RP-SMA jack

Package content

- WLAN antenna

Item no. 12637

EAN: 4043619126378

Country of origin: China


Package: Retail Box


© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.


Images





























© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

General	
Mounting type:	Screw mounting
Suitable for indoor:	yes
Interface	
connector:	1 x RP-SMA plug
Technical characteristics	
Frequency range:	5150 MHz - 5850 MHz
Antenna gain:	5 dBi
Impedance:	50 Ω
Operating temperature:	-10 °C ~ 70 °C
Polarisation:	linear vertical
VSWR:	2.2
Physical characteristics	
Antenna type:	omnidirectional
Housing material:	ABS
Length:	19.9 cm
Diameter connector:	12.7 mm
Colour:	black

© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.