Delock Multifunctional Dual Capsule USB Microphone with 3.5 mm Stereo Headphone Jack and Volume Control + Quick-Mute Funktion

Description

This multifunctional USB condenser microphone by Delock can be used for high-quality voice and vocal recording, making it suitable for **streaming, podcasting, gaming and video meetings.**



Optimal recordings & polar pattern switch
The microphone has a dual capsule condenser and therefore has a **cardioid polar pattern (unidirectional) and also a circular polar pattern (omnidirectional).** The directivity can be adjusted by a switch on the back of the microphone. Therefore, the microphone always captures the sound ideally. Due to a high performance, low self-noise and precise reproduction, even the finest sounds are recorded crystal clear.

Headphone output
The microphone has a **3.5 mm stereo jack** for connecting headphones or speakers. The audio output provides a bit depth of **16 bit** at a **sampling rate of 48 kHz** and can therefore record and play back audio signals in **DVD quality.**

Stepless volume control & quick-mute function
The microphone boost as well as the volume of the headphone output can be adjusted individually on the two volume controls. By pressing the volume control for the microphone gain, the microphone can be muted immediately.

Plug & Play
Due to USB Plug & Play the microphone is ready to use immediately, no driver installation is needed. The microphone works with all common operating systems such as Windows, Mac OS, Chrome OS and Linux.

Stable stand
The metal base provides a stable stand and the rubber provides a non-slip grip for recording.

Specification

- Connectors:
  1 x USB Type-C™ 2.0 female
  1 x 3.5 mm 3 pin stereo jack female
- Cable:
  1 x USB Type-C™ 2.0 male >
  1 x USB 2.0 Type-A male
- Directivity: unidirectional / omnidirectional
- Sensitivity: -35 dB +/- 3 dB
- Frequency range: 20 Hz - 20 kHz
- Sampling rates:
  recording up to 16 Bit / 48 kHz
  playback up to 16 Bit / 48 kHz
- Signal-to-noise ratio (SNR): ca. 70 dB
- Sound pressure level (SPL): max. 110 dB
- Volume control microphone (loud / quiet / mute)
- Volume control headphone output (loud / quiet)

Item no. 66822

EAN: 4043619668229

Country of origin: China

Package: Retail Box

© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

- Polar pattern switch
- Power LED
- Cable length: ca. 1 m
- Housing material: metal
- Colour: black
- Weight: ca. 43 g
- Dimensions (LxWxH): ca. 170 x 70 x 80 mm
- USB bus powered
- Plug & Play

System requirements

- Chrome OS
- Linux Kernel 4.4 or above
- Mac OS 10.9 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- USB microphone
- Cable USB Type-C™ male to USB Type-A male
- User manual

Images








© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

General	
Function:	Plug & Play
Specification:	USB 2.0
Supported operating system:	Chrome OS
	Linux Kernel 4.4 or above
	Mac OS 10.9 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
Interface	
connector:	1 x USB 2.0 Type-A male
	1 x USB 2.0 Type-C™ male
Input:	1 x USB 2.0 Type-C™ female
Technical characteristics	
Frequency range:	20 Hz - 20 kHz
Voltage:	USB bus powered
Sensibility:	-35 dB +/- 3 dB
Sample rate:	16 Bit / 48 kHz
Signal noise ratio (SNR):	ca. 70 dB
Directivity:	omnidirectional
	uni-directional
Physical characteristics	
Cable length:	1 m
Colour:	black

© 2021 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.