SHENZHEN EMEET TECHNOLOGY CO., LTD.
TEL: 0755-33941125 http://www.emeet.ai

Wireless Speakerphone

eMeet Luna

Datasheet



For quotation or purchase needs, please contact
sales@emeet.ai

1. Product introduction

eMeet Luna is a wireless conference speaker equipped with three microphone arrays, which can provide professional sound pickup and playback. Two eMeet Luna can be cascaded to support 10 ~ 16 people. Optimized by VoiceIA audio algorithm, it can provide high-quality call effect even in noisy work space.

2. Features

- 3 smart microphone arrays, 360 ° all-round pickup
- Unique VoiceIA ™ call algorithm, which can effectively suppress noise, eliminate echo, and enhance human voice
- Support 2 product cascades to provide clearer sound pickup effect
- Full metal appearance design, exquisite and simple atmosphere
- Compatible with mainstream communication systems, seamlessly integrate to achieve call control
- Plug and play, just a few seconds of operation, it can be used with computer softphone and unified communication system
- Equipped with Bluetooth adapter, support USB, AUX, Bluetooth, Dongle multiple connection methods

3. Technical specifications

SHENZHEN EMEET TECHNOLOGY CO., LTD.
TEL: 0755-33941125 http://www.emeet.ai

Smart Conference Speaker eMeet Luna

	Technical specifications	parameter
Audio features	Microphone	3 AI Mic Array
	Microphone frequency response	100-10KHz
	Echo Cancellation	eMeet VoiceIA algorithm
	Noise Reduction	eMeet VoiceIA algorithm
	Two-way Talk	√
	Speaker	1
	Speaker Rate power	3W*1
	Speaker output	89dB±3 @20-20KHz
	Speaker SN	＞75dB
	Speaker THD+N	＜1%
Connect	Compatible	Windows、macOS、Android、iOS
	Connect way	BT/USB/AUX IN/AUX OUT/Wireless Dongle
	Bluetooth	4.1
	Bluetooth Distance	10m
	Bluetooth A2DP	√
	Cascade	√ Supports two wired cascades (requires dedicated cascade lines)
	Aux out	Aux out supports external speakers, you can increase the volume of the speaker
I/O	USB Interface	1xUSB 2.0: Type C
	Button	7 mechanical buttons: Turn on/off, Bluetooth button, volume +, volume-, Mic mute button, answer / hang up phone button, VoiceIA on / off button
General specification	Input Voltage	5V (USB power supply)
	Current Consumption	1A
	Operating Temperature	0°C ~ 40°C (14°F ~ 104°F)
	Storage Temperature	-20°C ~ 70°C (-40°F ~ 140°F)
	Power Consumption	MAX 300mA
	MTBF	30000h
	colour	grey

4. Product view









5. Packing specifications

Smart Conference Speaker eMeet Luna	
Size(mm)	120*120*39
Net weight(g)	290
Color box package dimensions（mm）	167*156*61
Color box package weight(g)	482
Carton size（mm）	365*322*345
Qty（PC/CTN）	20
FCL weight（kg）	10.2
FCL chargeable weight（kg）	11